

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20070004454").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/22 00:07
S2	738	((poi waypoint point-of-interest) with (sav\$3 or stor\$3 download\$3 upload\$3 updat\$3 synch or synchroniz\$5) with (sim (subscriber near2 module) card or module smartcard usim u-sim memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:10
S3	210	S2 and (((@rad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:11
S4	140	S3 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:11
S5	27	S4 and ((circle circular) and (radius or radii or diameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:12
S6	27	S5 and (device or terminal or phone or station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:13
S7	2	S6 and (irmis with pomcia)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:14

S8	11	S6 and (user with poi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:25
S9	2	S7 and (user with poi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:25
S10	2	S7 and (user near5 poi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:26
S11	2	S10 and (user near5 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:31
S12	738	((poi waypoint point-of-interest) with (sav\$3 or stor\$3 download\$3 upload\$3 updat\$3 synch or synchroniz\$5) with (sim (subscriber near2 module) card or module smartcard usim u-sim memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S13	210	S12 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S14	140	S13 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S15	27	S14 and ((circle circular) and (radius or radii or diameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36

S16	27	S15 and (device or terminal or phone or station)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S17	2	S16 and (irmis with pomcia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S18	2	S17 and (user near5 poi)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S19	2	S18 and (user near5 node)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S20	2	S19 and (user near5 waypoint)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:36
S21	2	S19 and (user near5 travel)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:38
S22	2	S21 and (user near5 travel)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:38
S23	2	S22 and (user near5 mov\$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 00:39
S24	8	S16 and pomcia and coordinate	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 01:02

S25	8	S24 and coordinate	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 01:02
S26	2	S23 and coordinate	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 01:02
S27	3	("6708033").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/22 12:50
S28	2	("5861841").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/22 13:24
S29	2	("6014568").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/22 13:25
S30	2	("5802468").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/22 13:26
S31	2	S27 and (location with profile)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:29
S32	1	S27 and (location with profile) and (predetermined or predefined or pre-determined or pre-defined)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:31
S33	1	S27 and (location with subscriber with profile)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:38

S34	0	S27 and (sim with profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:40
S35	1	S27 and (sim same profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:40
S36	13	sim with (check or evaluate or determine) with coordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:43
S37	10	S36 and ((@rlad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:43
S38	2219	(sim (subscriber near2 module) (card or module) (smart near2 card) or smartcard usim u-sim (memory near2 (stick card)) ((remove\$4 or insert\$4) with (card or module or memory)) pmcia) with (check or evaluate or determine) with coordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:44
S39	10	S37 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:45
S40	0	(pmcia) with (check or evaluate or determine) with coordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:48
S41	0	(pmcmia) with (check or evaluate or determine) with coordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:48

S42	1	(pmcia) with (check or evaluate or determine) with coordinate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:49
S43	1	S42 and (((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:49
S44	1	S27 and (((subscriber near2 module) sim part) with profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:55
S45	2	S27 and (((subscriber near2 module) sim part) same (subscriber or profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:57
S46	2	S45 and (area territory location country)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 13:58
S47	1	S27 and (subscriber with evaluation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:03
S48	0	S27 and (subscriber with compare)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:08
S49	0	S27 and (subscriber with compar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:08
S50	1	S27 and (subscriber same compar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:09

S51	1	S27 and (location with compar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:09
S52	1	S51 and (location with subscriber)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:10
S53	0	S27 and (coordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:22
S54	738	((poi waypoint point-of-interest) with (sav\$3 or stor\$3 download\$3 upload\$3 updat\$3 synch or synchroniz\$5) with (sim (subscriber near2 module) card or module smartcard usim u-sim memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:26
S55	210	S54 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:26
S56	140	S55 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:26
S57	27	S56 and ((circle circular) and (radius or radii or diameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:26
S58	27	S57 and (device or terminal or phone or station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:26

S59	27	S58 and (coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:26
S60	0	S58 and (pmcia with coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:27
S61	2	S59 and (irmis with pmcia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:27
S62	27	S59 and (coordinate pmcia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:28
S63	2	S61 and (coordinate pmcia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:28
S64	0	S61 and (coordinate same pmcia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:28
S65	2	S61 and (receiv\$3 with coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:29
S66	2	S58 and (irmis with pmcia)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:30
S67	2	S66 and (receiv\$3 with coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:30



S68	2	S66 and (receiv\$3 near10 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:31
S69	0	S66 and (receiv\$3 near5 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:31
S70	2	S66 and (receiv\$3 near8 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:31
S71	2	S66 and (receiv\$3 near9 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:31
S72	1	S66 and (receiv\$3 near7 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:31
S73	1	S66 and (receiv\$3 near6 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:32
S74	1	S66 and (receiv\$3 near6 coordinate) and compar\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:39
S75	0	S66 and (compar\$4 near6 coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:40
S76	0	S66 and (pcmcia same coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:40

S77	2	S59 and (irmis with coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:41
S78	2	S61 and (irmis with coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:41
S79	2	S61 and (irmis with coordinate) and identifier	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 14:43
S82	2	S79 and ((user with map) same coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 15:08
S83	2	S79 and (circle same coordinate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 15:59
S84	2	S79 and (circle same grid)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:04
S85	0	S79 and irmis same ((circle radius radii) same (grid or coordinate))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:16
S86	2	S79 and irmis same (circle radius radii)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:17
S87	2	S79 and (irmis same (circle radius radii))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:29

S88	2	S79 and (irmis same (circle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:30
S89	2	S59 and (irmis same (circle radius radii))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:30
S90	5	S59 and (identifier same coordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:48
S91	13	S59 and (receiv\$3 same coordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:52
S92	2	S59 and (irmis same receiv\$3 same coordinate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 16:53
S93	2	("5905957").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/22 17:12
S94	1197	(sim (subscriber near2 module) (smart near2 card) or smartcard) with (compress\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:17
S95	9	((sim (subscriber near2 module) (smart near2 card) or smartcard) with (compress\$3)) same identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:17
S96	7	S95 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:17

S97	517	((sim (subscriber near2 module) (smart near2 card) or smartcard) with (compress\$3)) same (identifier location position waypoint poi point-of-interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:19
S98	59	S97 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:21
S99	18	S98 and (((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:21
S100	44	((sim (subscriber near2 module) (smart near2 card) or smartcard) with (receiv\$3 or sav\$3 or stor\$3) with (compress\$3)) same (identifier location position waypoint poi point-of-interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:28
S101	3	S99 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:28
S102	4	S99 and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.) ("726"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/22 17:31
S106	2	("20030182052").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/23 12:20
S107	2	S106 and (((display\$3 circle or radius or radii)) with (pda (personal near2 digital near2 assistant) handheld hand-held station device or terminal or \$5phone user individual person subscriber group employee child))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 12:21

S108	1	S107 and current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 12:23
S109	1	S106 and (((circle or radius or radii)) with (pda (personal near2 digital near2 assistant) handheld hand-held station device or terminal or \$5phone user individual person subscriber group employee child))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 12:30
S110	1	S109 and current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 12:30
S111	1	S110 and (route with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 12:33
S112	2	("20030182052").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/23 14:41
S113	1	poi and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 14:41
S114	1	(poi same download) and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 14:42
S115	1	(compar\$3 or match\$3) and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 15:43

S116	0	((compar\$3 or match\$3) with select\$3) and S112	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 15:45
S117	1	((compar\$3 or match\$3) same select\$3) and S112	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 15:45
S118	3	("6708033").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/23 16:06
S119	0	S118 and coordinate	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:06
S120	0	S118 and map	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:07
S121	0	S118 and grid	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:07
S122	2	("5661841").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/23 16:08
S123	2	S122 and coordinate	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:08
S124	1	S123 and (id or identifier or identity)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:08

S125	1	S118 and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:09
S126	1	S118 and position and gps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:10
S127	1	((poi id or identifier or identity same (coordinate map grid)) and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:14
S128	1	((poi id or identifier or identity same (coordinate grid)) and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 16:15
S129	6	((US-20030182052-\$).did. or (US-6708033-\$ or US-5861841- \$ or US-6014568-\$ or US- 5802468-\$ or US-7110776-\$). did.	US-PGPUB; USPAT	OR	ON	2010/08/23 18:49
S130	10	sim near5 poll	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:49
S131	4	S130 and ((@rlad< "20030408") or (@ad< "20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:49
S132	1	S131 and (location or position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:50
S133	773	sim near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:51

S134	144	(sim near5 request) same (location or position)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:51
S135	79	S134 and ((@rlad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:51
S136	79	S135 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:51
S137	68	S136 and ((*455"/\$.cds.) ("370"/\$.cds.) ("709"/\$.cds.) ("379"/\$.cds.))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 18:52
S138	44	sim near5 request with (location or position)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:00
S139	9	S138 and ((@rlad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:00
S140	9	S139 and (location or position)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:02
S141	9	S139 and ((location or position) with (subscriber user device terminal\$5phone))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:12
S142	9	S139 and ((location or position) with (subscriber user device terminal \$5phone))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:12



S143	33	sim near5 request with (location or position) with (subscriber user device terminal \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:14
S144	33	sim near5 request with (location or position) with (subscriber user device terminal \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:14
S145	4	S144 and ((@rlad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:14
S146	36	(sim near5 (request) with (external or network orprovider)) same (location or position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:17
S147	19	S146 and ((@rlad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:17
S148	19	S147 and ((location or position) with (subscriber user device terminal \$5phone))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:18
S149	19	(sim near5 request) and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:20
S150	19	(sim near5 request) and S148 and sim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:21
S151	10	S150 and (request with (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:22

S152	10	S150 and (request with (location or position)) and receiv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:27
S153	23	((sim or (subscriber near2 module)) near5 request near5 (location or position)) and ((sim or (subscriber near2 module)) near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:47
S154	25	((sim or (subscriber near2 module)) near5 request\$3 near5 (location or position)) and ((sim or (subscriber near2 module)) near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:47
S155	18	S154 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:47
S156	0	((sim or (subscriber near2 module)) near5 poll\$3 near5 (location or position)) and ((sim or (subscriber near2 module)) near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:50
S157	84	(((\$card near5 (request\$3 or poll\$3) near5 (location or position)) and (\$card near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:51
S158	69	S157 and (mobile wireless portable pda (personal near2 digital near2 assistant) cell\$4 handheld hand-held)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:51
S159	35	S158 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:52
S160	15	S159 and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:52

S161	0	((pcmcia) near5 (request\$3 or poll\$3) near5 (location or position)) and (\$5card near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:57
S162	0	((irmis) near5 (request\$3 or poll\$3) near5 (location or position)) and (\$5card near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:57
S163	258	((request\$3 or poll\$3) near5 (location or position)) and (\$5card near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:57
S164	0	((pcmcia) near5 (request\$3 or poll\$3) near5 (location or position)) and (pcmcia near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:57
S165	1	((pcmcia) near5 (request\$3 or poll\$3) near5 (location or position)) and (receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:58
S166	1	S165 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 19:58
S167	810	((subscriber) near5 (request\$3 or poll\$3) near5 (location or position)) and (subscriber near5 receiv\$3 near5 (location or position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:00
S168	22	((sim) near5 (request\$3 or poll\$3)) and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:00
S169	19	S168 and ((@riad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:01

S170	19	S169 and location	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:03
S171	19	S169 and (location same sim)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:04
S172	2	("7016887").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/23 20:17
S173	0	((sim) near5 (request\$3 or poll \$3)) and S172	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:18
S174	2	("6321091").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/23 20:20
S175	0	((sim) near5 (request\$3 or poll \$3)) and S174	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:20
S176	0	((sim) same (request\$3 or poll \$3)) and S174	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:20
S177	0	(sim) and S174	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:20
S178	10	(sim near5 (request\$3 or poll \$3)) same (receiv\$3 with (subscriber or user) with (location or position))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:22

S179	2	S178 and ((!@rlad<"20030408") or (@ad<"20030408"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/23 20:22
S180	78	("20020063626"   "20040203879"   "4601005"   "5014040"   "5021794"   "5043736"   "5119102"   "5122959"   "5129605"   "5223844"   "5225842"   "5289163"   "5317323"   "5323163"   "5379320"   "5388147"   "5416797"   "5418538"   "5420592"   "5461365"   "5461390"   "5483549"   "5485163"   "5519403"   "5543789"   "5576716"   "5576952"   "5617074"   "5627548"   "5629678"   "5636122"   "5652570"   "5657008"   "5663734"   "5712619"   "5724243"   "5731757"   "5731785"   "5734981"   "5742233"   "5748148"   "5757916"   "5812087"   "5835907"   "5838237"   "5892454"   "5914675"   "5917433"   "5929806"   "6014080"   "6028537"   "6085097"   "6115611"   "6121922"   "6122521"   "6131067"   "6133871"   "6243039"   "6243647"   "6321091"   "6349201"   "6360102"   "6421608"   "6516190"   "6542726"   "6895329").PN. OR ("7260378").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/23 20:28
S181	3	S180 and sim	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/23 20:29

8/ 24/ 2010 10:14:42 AM

C:\Documents and Settings\fdonado\My Documents\EAST\Workspaces\10552313\_Ver2.wsp